

OFFICE OF LICENSING AND MONITORING

Residential Child Care Report Summary

| Information | | | | |
|--|---|--|--|--|
| Provider Organization | Arrow Child and Family Ministries, Inc. | | | |
| Name of Certified Program Administrator | Jennifer McGlothlin-Renault | | | |
| Email of Certified Program Administrator | jennifer.mcglothlin-renault@arrow.org | | | |

| RCC Site Information | | | | | | | |
|-----------------------|------------------|-----------------------------|------------|------------|-----------------|----------------------|----------------------------|
| Name/Address | License Capacity | Total DHS Contract Limit | DHS Census | DJS Census | Other Census | License# Exp Date | Date of Site Inspection |
| Baltimore County 1605 | 45 | 6F | 28 | 4 | 0 | #00261 7/21/2021 | 1/10/2020 |
| Harford County 2408 | 18 | 65 | 17 | 1 | 0 | #00475 7/21/2021 | 1/7/2020 |

| Contracting Agency(s) |
|-----------------------|
|-----------------------|

| Licensing Information | | | |
|---------------------------|---------------------------------------|--|--|
| Licensing Agency | Maryland Department of Human Services | | |
| License Type | RCC | | |
| Type of Inspection | Quarterly | | |
| Current Status of License | ACTIVE | | |

| COMAR Citations | | | |
|---|-----------------------|---------------------|---|
| This Provider was cited for the listed COMAR violations which <i>DO NOT</i> present imminent safety risks for children based on impact, scope, and frequency. | RCC Site | COMAR Citation | Comment |
| | Baltimore County 1605 | 14.31.06.07.F(3)(h) | Several of the dresser drawers in the Mack Unit are broken. |
| | Baltimore County 1605 | 14.31.06.10C(5) | The Diagnostic Unit did not transfer the resident's allowance to Crossroad account within the 5 day timeframe after discharge. |
| | Baltimore County 1605 | 14.31.06.07E(4) | Walls in most of the Mack Unit's bedrooms have been spackled but not painted. Walls in the Love Unit's TV (Pink) room have chipped paint. |
| | Baltimore County 1605 | 14.31.06.07C(1) | There is a hole in the tile floor in the Mack Unit recreation room. |
| | Baltimore County 1605 | 14.31.06.07A(1) | The fire extinguisher in the Love Unit TV room (Pink Rm) has not been serviced within one year. |
| | Baltimore County 1605 | 14.31.06.071 | The cushions in the Love Unit's TV room are torn or missing. |
| | Harford County 2408 | 14.31.06.07J(3) | Window coverings that will ensure privacy. |
| | Harford County 2408 | 14.31.06.08.A(1)(a) | Emergency drills will be held monthly; Crossroads |

| Office of Licensing and Monitoring Staff Information | | | | | |
|--|-----------------------|-------------------------------|-----------|--|--|
| Name | Role | Email | Date | | |
| Patricia Sparrow | Licensing Coordinator | Patricia.sparrow@maryland.gov | 1/28/2020 | | |
| Andre Thomas | Program Manager | Andre.thomas@maryland.gov | 2/7/2020 | | |