



OFFICE OF LICENSING AND MONITORING

Child Placement Agency Report Summary

Provider Information

Provider Organization	Hearts and Homes for Youth, Inc.
Name of Chief Administrator	Roma Marshall
Email of Chief Administrator	rmarshall@heartsandhomes.org

CPA Office Information

Name/Address	License Capacity	Total DHS Contract Limit	DHS Census	DJS Census	Other Census	License # Exp Date	Date of Site Inspection
Hearts and Home for the Youth Damamli (Mother/Infant) Site # 5096630 5740 Executive Drive, Suite 208, Catonsville, Maryland 21228	Unlimited	18	2	0	0	#2640 08/14/2025	10/23/2023
Hearts and Home for the Youth Damamli ILP Site # 5001112 3919 National Drive, Suite 400 Burtonsville, MD 20866	Unlimited	18	7	0	0	#175 12/14/2023	10/23/2023

Contracting Agency(s)	DHS and DJS
-----------------------	-------------

Licensing Information

Licensing Agency	Maryland Department of Human Services
License Type	Treatment Foster Care & Parent/Child ILP
Type of Inspection	Quarterly

Current Status of License	ACTIVE
---------------------------	---------------

COMAR CITATIONS

	CPA Site	COMAR CITATION	COMMENT
This Provider was cited for the listed COMAR violation which MAY present safety risks for children based on impact, scope, and frequency. These issues are either resolved or a corrective action plan has been implemented.	5001112	Dental/Vision/Hearing [07.05.02.17A(2)(7)pg.28, 29]	Current dental and/or vision documentation were missing for four youth at the time of the review.
	5001112	Psychiatric/Psychological [07.05.04.04A(6)(d)pg.4]	One youth was missing the documentation at the time of the review.
	5001112	Physical Exam [07.05.02.17A(1)(7)pg.28, 29]	Four youth were missing current physical examinations.
	5001112	The agency shall document that it has communicated regularly with the apartment management	The following concerns were observed during one apartment inspection: Pest control is needed due to roaches and mice. The back burner on the stove did not work. Dining room closet has a hole that needs to be filled. Border on the floor in the kitchen is broken. A hole in the main bedroom closet needs to be repaired. Vent in living room does not fit and needs to be repaired.

		that:[07.05.04.07 C 1 A & C]	
	5001112	The agency shall document that it has communicated regularly with the apartment management that[07.05.04.07 C 1c]	The following concerns were observed during one apartment inspection: Living room light and three stove burners do not work.
This Provider was cited for the listed COMAR violations which DO NOT present imminent safety risks for children based on impact, scope, and frequency.			
	5001112	90 Day Case Plan [07.05.04.05Bpg.6]	October 2023 signatures are pending and the plan from August is missing signatures for one youth.

Office of Licensing and Monitoring Staff Information

Name	Role	Email	Date
 Tawanna Tilghman-Marine	Licensing Specialist	tawanna.tilghmanmarine@maryland.gov	12/1/2023
 Nalicia Goods	Program Manager	nalicia.goods@maryland.gov	12.1.2023